

Eagle Window & Door

Opening Tables Slide-By Windows

Unit No.	Width (Inches)	Height (Inches)	Meets Egress Req.	Sq. Ft. Clear Opening	Clear Opening (Inches)		Sq. Ft. Vent	Sq. Ft. Daylight Opening	Glass Size (Inches)		Floor to Sill Height (Inches)		
					Width	Height			Width	Height			
Two Sash Slide-by (XO or OX)													
3020	36	24	No	1.89	14	1 1/16	19	11/32	1.89	3.29	15	17 15/16	60 3/16
3030	36	36	No	3.06	14	1 1/16	31	11/32	3.06	5.63	15	29 15/16	48 3/16
4020	48	24	No	2.70	20	1/16	19	11/32	2.70	4.70	21	17 15/16	60 3/16
4030	48	36	No	4.37	20	1/16	31	11/32	4.37	8.04	21	29 15/16	48 3/16
4034	48	40	No	4.92	20	1/16	35	11/32	4.92	9.15	21	33 15/16	44 3/16
4040	48	48	Yes	6.04	20	1/16	43	11/32	6.04	11.37	21	41 15/16	36 3/16
4046	48	54	Yes	6.87	20	1/16	49	11/32	6.87	13.04	21	47 15/16	30 3/16
4050	48	60	Yes	7.71	20	1/16	55	11/32	7.71	14.70	21	53 15/16	24 3/16
5030	60	36	No	5.67	26	1/16	31	11/32	5.67	10.45	27	29 15/16	48 3/16
5034	60	40	No	6.40	26	1/16	35	11/32	6.40	11.89	27	33 15/16	44 3/16
5040	60	48	Yes	7.84	26	1/16	43	11/32	7.84	14.78	27	41 15/16	36 3/16
5046	60	54	Yes	8.93	26	1/16	49	11/32	8.93	16.95	27	47 15/16	30 3/16
5050	60	60	Yes	10.02	26	1/16	55	11/32	10.02	19.12	27	53 15/16	24 3/16
6030	72	36	No	6.98	32	1/16	31	11/32	6.98	12.86	33	29 15/16	48 3/16
6034	72	40	No	7.87	32	1/16	35	11/32	7.87	14.64	33	33 15/16	44 3/16
6040	72	48	Yes	9.65	32	1/16	43	11/32	9.65	18.19	33	41 15/16	36 3/16
6046	72	54	Yes	10.99	32	1/16	49	11/32	10.99	20.86	33	47 15/16	30 3/16
6050	72	60	Yes	12.32	32	1/16	55	11/32	12.32	23.53	33	53 15/16	24 3/16
Three Sash Slide-by (XOX)													
6030	72	36	No	1.97	9	1/32	31	11/32	3.93	12.52	21 23 5/16	29 15/16 29 15/16	48 3/16 Fixed
6034	72	48	No	2.72	9	1/32	43	11/32	5.44	17.71	21 23 5/16	41 15/16 41 15/16	36 3/16 Fixed
6046	72	54	No	3.09	9	1/32	49	11/32	6.19	20.31	21 23 5/16	47 15/16 47 15/16	30 3/16 Fixed
6050	72	60	No	3.47	9	1/32	55	11/32	6.94	22.91	21 23 5/16	53 15/16 53 15/16	24 3/16 Fixed
8030	96	36	No	4.58	21	1/32	31	11/32	9.16	17.34	21 47 5/16	29 15/16 29 15/16	48 3/16 Fixed
8034	96	40	No	5.16	21	1/32	35	11/32	10.32	19.74	21 47 5/16	33 15/16 33 15/16	44 3/16 Fixed
8040	96	48	Yes	6.33	21	1/32	43	11/32	12.66	24.54	21 47 5/16	41 15/16 41 15/16	36 3/16 Fixed
8046	96	54	Yes	7.21	21	1/32	49	11/32	14.41	28.13	21 47 5/16	47 15/16 47 15/16	30 3/16 Fixed
8050	96	60	Yes	8.08	21	1/32	55	11/32	16.17	31.73	21 47 5/16	53 15/16 53 15/16	24 3/16 Fixed

Notes:

Floor to sill height is based on structural header heights of 6' 10-1/2" and is calculated from the top of the subfloor to the top of the inside sill stop.
Egress Requirements: 5.7 sq. ft. minimum clear opening area, 20" minimum clear opening width, 24" minimum clear opening height, 44" maximum floor to sill height.

Code restrictions may vary depending on your local building codes.

If glass is positioned within 18" of the floor, safety/tempered glass may be required by code.

Eagle Window & Door reserves the right to change specifications without notice.

Rev. 06/07