

Call Size	Width (Inches)	Height (Inches)	Meets Egress Req.	Sq. Ft. Clear Opg.	Clear Opening (Inches)		Sq. Ft. Vent	Sq. Ft. Daylight Opg.	Glass Size (Inches)		Floor to Sill Height (Inches)
					Width	Height			Width	Height	
3430	40	36	No	7.76	35 11/16	31 5/16	7.76	5.76	15	31	48 13/16
3434	40	40	No	8.75	35 11/16	35 5/16	8.75	6.53	15	35	44 13/16
3440	40	48	Yes *	10.73	35 11/16	43 5/16	10.73	8.07	15	43	36 13/16
3446	40	54	Yes *	12.22	35 11/16	49 5/16	12.22	9.23	15	49	30 13/16
3450	40	60	Yes *	13.71	35 11/16	55 5/16	13.71	10.38	15	55	24 13/16
3456	40	66	Yes *	15.20	35 11/16	61 5/16	15.20	11.54	15	61	18 13/16
3460	40	72	Yes *	16.68	35 11/16	67 5/16	16.68	12.69	15	67	12 13/16
4030	48	36	No	9.50	43 11/16	31 5/16	9.50	7.42	19	31	48 13/16
4034	48	40	No	10.71	43 11/16	35 5/16	10.71	8.41	19	35	44 13/16
4040	48	48	Yes *	13.14	43 11/16	43 5/16	13.14	10.40	19	43	36 13/16
4046	48	54	Yes *	14.96	43 11/16	49 5/16	14.96	11.89	19	49	30 13/16
4050	48	60	Yes *	16.78	43 11/16	55 5/16	16.78	13.38	19	55	24 13/16
4056	48	66	Yes *	18.60	43 11/16	61 5/16	18.60	14.86	19	61	18 13/16
4060	48	72	Yes *	20.42	43 11/16	67 5/16	20.42	16.35	19	67	12 13/16
4830	56	36	No	11.24	51 11/16	31 5/16	11.24	9.08	23	31	48 13/16
4834	56	40	No	12.68	51 11/16	35 5/16	12.68	10.29	23	35	44 13/16
4840	56	48	Yes *	15.55	51 11/16	43 5/16	15.55	12.72	23	43	36 13/16
4846	56	54	Yes *	17.70	51 11/16	49 5/16	17.70	14.55	23	49	30 13/16
4850	56	60	Yes *	19.85	51 11/16	55 5/16	19.85	16.37	23	55	24 13/16
5030	60	36	No	12.11	55 11/16	31 5/16	12.11	9.91	25	31	48 13/16
5034	60	40	No	13.66	55 11/16	35 5/16	13.66	11.23	25	35	44 13/16
5040	60	48	Yes *	16.75	55 11/16	43 5/16	16.75	13.89	25	43	36 13/16
5046	60	54	Yes *	19.07	55 11/16	49 5/16	19.07	15.88	25	49	30 13/16
5050	60	60	Yes *	21.39	55 11/16	55 5/16	21.39	17.86	25	55	24 13/16

Notes:

*Check with local building codes - double sash opening may not be allowed.

Floor to sill height is based on structural header heights of 6' 10-1/2" and is calculated from the top of the subfloor to the top of the inside sill stop.

The clear opening width is calculated with both sashes open 90 degrees.

Egress Requirements: 5.7 sq. ft. minimum clear opening area, 20" minimum clear opening width, 24" minimum clear opening height, 44" maximum floor to sill height.

Code restrictions may vary depending on your local building codes.

If glass is positioned within 18" of the floor, safety/tempered glass may be required by code.

Eagle Window & Door reserves the right to change specifications without notice.